

## **Topic Area: Tuberculosis**

### **TB-1: Reduce the incidence rate of tuberculosis**

Target:	3.5 per 100,000 population
Baseline: (Year)	4.6 per 100,000 population (2010)
Data source:	Tuberculosis Control Program, Division of HIV, STD, and TB Services, New Jersey Department of Health

### **TB-2: Increase the treatment completion rate within 12 months for all tuberculosis cases which can be adequately treated in that time frame**

Target:	93.0 percent
Baseline: (Year)	87.6 percent (2008)
Data source:	Tuberculosis Control Program, Division of HIV, STD, and TB Services, New Jersey Department of Health

### **TB-3: Increase the treatment completion rate of contacts to sputum smear-positive cases who are diagnosed with latent tuberculosis infection (LTBI) and started LTBI treatment**

Target:	79.0 percent
Baseline: (Year)	69.9 percent (2008)
Data source:	Tuberculosis Control Program, Division of HIV, STD, and TB Services, New Jersey Department of Health

### **TB-4: Increase the proportion of tuberculosis cases alive at diagnosis for which a HIV status is known**

Target:	90.0 percent
Baseline: (Year)	79.7 percent (2010)
Data source:	Tuberculosis Control Program, Division of HIV, STD, and TB Services, New Jersey Department of Health